

LTU-DX42-QUAD

Key Features:

2MP CMOS sensor
1080P FHD
AHD/CVI/TVI/Analogue selectable output
3D-NR, OSD option coaxial control,
2.8-12mm lens
IR Range 30M
IP66



Specifications	
Camera	
Image sensor	1/2.7" CMOS 2.0M AR0230
Signal System	NTSC/PAL
Effective Pixels	1928(H) x 1088(V)
Min. Illumination	Colour : 0.1Lux@ F1.2 AGC ON, B&W : 0.01Lux@ F1.2 AGC ON
Synchronization	Internal synchronization
Video Output	CVI,TVI ,AHD (1080P@25fps, 1080P@30fps) Analog (1280x576 , 1280x480)
S/N Ratio	41dB(AGC OFF)
Shutter	Auto
Day & Night	Smart / Colour / B&W
White Balance	Auto / Manual
OSD	English, Chinese, Spanish, Italian
AGC	Auto
IR LED	φ 5X8PCS
Lens	2.8-12mm/F14 white color housing
IR Range	30M
Power Supply	DC12V±10%
Power Consumption	5W
Weight	710g
IP Rating	IP66
Storage Temperature	-20°C~60°C
Working Temperature/Humidity	Working Temperature/Humidity
Operation Temperature	-10°C~+50°C(14°F~122°F)
Operation Humidity	<85%RH (Non-condensation)

Dimensions:

